

Permit Type:	Hydrant Permit 30-day Fee and Per Day Fee	Permit No:	C004222409
Customer Name:	CON EDISON	Phone Number:	
Hydrant ID:	Brooklyn Boroughwide	Account:	0001049045001
		BBL:	
Issued By:	KG	Issue Date:	07/16/2025
Permitted Activity:	Con Edison, Brooklyn, Boroughwide Permit, all work under Con Edison, (planned or emergency), 07/01/2025 – 12/31/2025, 184 days, 24/7, no exclusions, RPZ: see list attached	Expiration Date:	12/31/2025
		Fee:	\$3,472.72
Start Date:	07/01/2025	End Date:	12/31/2025
Start Time:	12:00am	End Time:	11:59pm
Permittee:	CON EDISON	Days Used:	184
Permittee's Address:	4 Irving Pl New York NY 10003-3502		

Additional Requirements:

1. An approved backflow prevention device is required for all hydrant connections unless otherwise noted.
2. Fire Hydrant Use Permits are valid only on the days specified therein, unless otherwise approved by the Department.
3. Hydrant permits are invalid when the temperature is below 32 degrees Fahrenheit.
4. Hydrants must be pumped out immediately after use from November 1st to April 15th.
5. Hydrant permit must be displayed at site where the water is being used.
6. Unless otherwise noted above, all hydrant use must comply with § 20-08(b) of RCNY Title 15 Chapter 20.
7. If the approval is revoked, the permit is no longer valid.

Permit Type:	Hydrant Permit 30-day Fee and Per Day Fee	Permit No:	C004222415
Customer Name:	CON EDISON	Phone Number:	
Hydrant ID:	Manhattan Boroughwide	Account:	0001049045001
		BBL:	
Issued By:	KG	Issue Date:	07/16/2025
Permitted Activity:	Con Edison, Manhattan, Boroughwide Permit, all work under Con Edison, (planned or emergency), 07/01/2025 – 12/31/2025, 184 days, 24/7, no exclusions, RPZ: see list attached	Expiration Date:	12/31/2025
		Fee:	\$3,472.72
Start Date:	07/01/2025	End Date:	12/31/2025
Start Time:	12:00am	End Time:	11:59pm
Permittee:	CON EDISON	Days Used:	184
Permittee's Address:	4 Irving Pl New York NY 10003-3502		

Additional Requirements:

1. An approved backflow prevention device is required for all hydrant connections unless otherwise noted.
2. Fire Hydrant Use Permits are valid only on the days specified therein, unless otherwise approved by the Department.
3. Hydrant permits are invalid when the temperature is below 32 degrees Fahrenheit.
4. Hydrants must be pumped out immediately after use from November 1st to April 15th.
5. Hydrant permit must be displayed at site where the water is being used.
6. Unless otherwise noted above, all hydrant use must comply with § 20-08(b) of RCNY Title 15 Chapter 20.
7. If the approval is revoked, the permit is no longer valid.



Permit Type: Hydrant Permit 30-day Fee
and Per Day Fee

Permit No: C004222425

Customer Name: CON EDISON
Hydrant ID: Staten Island Boroughwide

Phone Number:
Account: 0001049045001
BBL:

Issued By: KG
Permitted Activity: Con Edison, Staten Island,
Boroughwide Permit, all work under
Con Edison, (planned or emergency),
07/01/2025 – 12/31/2025, 184 days,
24/7, no exclusions, RPZ: see list
attached

Issue Date: 07/16/2025
Expiration Date: 12/31/2025
Fee: \$3,472.72

Start Date: 07/01/2025
Start Time: 12:00am

End Date: 12/31/2025
End Time: 11:59pm

Permittee: CON EDISON
Permittee's 4 Irving Pl
Address: New York NY 10003-3502

Days Used: 184

Additional Requirements:

1. An approved backflow prevention device is required for all hydrant connections unless otherwise noted.
2. Fire Hydrant Use Permits are valid only on the days specified therein, unless otherwise approved by the Department.
3. Hydrant permits are invalid when the temperature is below 32 degrees Fahrenheit.
4. Hydrants must be pumped out immediately after use from November 1st to April 15th.
5. Hydrant permit must be displayed at site where the water is being used.
6. Unless otherwise noted above, all hydrant use must comply with § 20-08(b) of RCNY Title 15 Chapter 20.
7. If the approval is revoked, the permit is no longer valid.

Permit Type: Hydrant Permit 30-day Fee
and Per Day Fee**Permit No:** C004222420**Customer Name:** CON EDISON
Hydrant ID: Bronx Boroughwide**Phone Number:**
Account: 0001049045001
BBL:**Issued By:** KG
Permitted Activity: Con Edison, Bronx, Boroughwide
Permit, all work under Con Edison,
(planned or emergency), 07/01/2025 –
12/31/2025, 184 days, 24/7, no
exclusions, RPZ: see list attached**Issue Date:** 07/16/2025
Expiration Date: 12/31/2025
Fee: \$3,472.72**Start Date:** 07/01/2025
Start Time: 12:00am**End Date:** 12/31/2025
End Time: 11:59pm**Permittee:** CON EDISON
Permittee's 4 Irving Pl
Address: New York NY 10003-3502**Days Used:** 184**Additional Requirements:**

1. An approved backflow prevention device is required for all hydrant connections unless otherwise noted.
2. Fire Hydrant Use Permits are valid only on the days specified therein, unless otherwise approved by the Department.
3. Hydrant permits are invalid when the temperature is below 32 degrees Fahrenheit.
4. Hydrants must be pumped out immediately after use from November 1st to April 15th.
5. Hydrant permit must be displayed at site where the water is being used.
6. Unless otherwise noted above, all hydrant use must comply with § 20-08(b) of RCNY Title 15 Chapter 20.
7. If the approval is revoked, the permit is no longer valid.

Permit Type:	Hydrant Permit 30-day Fee and Per Day Fee	Permit No:	C004222401
Customer Name:	CON EDISON	Phone Number:	
Hydrant ID:	Queens Boroughwide	Account:	0001049045001
		BBL:	
Issued By:	KG	Issue Date:	07/16/2025
Permitted Activity:	Con Edison, Queens, Boroughwide Permit, all work under Con Edison, (planned or emergency), 07/01/2025 – 12/31/2025, 184 days, 24/7, no exclusions, RPZ: see list attached	Expiration Date:	12/31/2025
		Fee:	\$3,472.72
Start Date:	07/01/2025	End Date:	12/31/2025
Start Time:	12:00am	End Time:	11:59pm
Permittee:	CON EDISON	Days Used:	184
Permittee's Address:	4 Irving Pl New York NY 10003-3502		

Additional Requirements:

1. An approved backflow prevention device is required for all hydrant connections unless otherwise noted.
2. Fire Hydrant Use Permits are valid only on the days specified therein, unless otherwise approved by the Department.
3. Hydrant permits are invalid when the temperature is below 32 degrees Fahrenheit.
4. Hydrants must be pumped out immediately after use from November 1st to April 15th.
5. Hydrant permit must be displayed at site where the water is being used.
6. Unless otherwise noted above, all hydrant use must comply with § 20-08(b) of RCNY Title 15 Chapter 20.
7. If the approval is revoked, the permit is no longer valid.

MANUFACTURE MAKE	MODEL SIZE	SERIAL #	BOROUGH
WATTS	009M2QT	418760RP	ALL
WIKENS	375XL ¾"	A353711	BRONX
WIKENS	375XL 2"	A329929	BRONX
WIKENS	975XL ¾"	2964105	BRONX
WIKENS	975XL 1"	2125166	BRONX
WIKENS	975XL2 ¾"	3639210	BRONX
WIKENS	975XL2 ¾"	3995022	BRONX
WIKENS	975XL2 2"	1249626	BRONX
WATTS	LF009M3QT	073614	ALL
WATTS	1" LFO09M2QT	073332	QUEENS
WATTS	1" LFO0GM2QT	073324	QUEENS
WATTS	3/4" LF009M3QT	169117	ALL
WILKINS	975 XL	4287421	QUEENS
WILKINS	975 XL	4393346	QUEENS
WILKINS	975 XL	4415168	QUEENS
WILKINS	975 XL	4267401	QUEENS
WILKINS ZURN	975XL	980342	BRONX
WATTS	LF009M3QT	206305	ALL
WATTS	LF009M3QT	013632	ALL
WATTS	LF009M3-QT	228316	ALL
WATTS	LF009M3-QT	216168	ALL
WATTS	LF009M3-QT	227390	ALL
WATTS	LF009M3-QT	216172	ALL
WATTS	LF009M3-QT	216158	ALL
WATTS	LF009M3-QT	216164	ALL
WATTS	LF009M3-QT	216163	QUEENS
WATTS	LF009M3-QT	227389	ALL

WATTS	LF009M3-QT	216165	ALL
WATTS	LF009M3-QT	227386	ALL
WATTS	009M2 QT	A06076	BRONX
WATTS	3/4" LF009M3QT	158073	ALL
WATTS	3/4" LF009M3QT	115017	ALL
WATTS	3/4" LF009M3QT	69605	ALL
WILKINS	975XL-1	19811	BROOKLYN
WATTS	LF009	14698	BROOKLYN
WATTS	LF009M3QT	226916	ALL
WATTS	LF009M3QT	226918	ALL
WATTS	LF009M3QT	226900	ALL
WATTS	LF009M3QT	226897	ALL
WATTS	LF009M3QT	226972	ALL
WATTS	1.5 " LF009M2QT	048410	ALL
WILKINS	975XL-1 19811	B001ASAT48	QUEENS
WATTS	2" LF009M2QT	72175	BRONX
WATTS	2" LF009M2QT	68654	QUEENS
WATTS	3/4" LF009M3QT	103003	BRONX
WATTS	009M2QT	A41923	MANHATTAN
WATTS	1.5" REGULARTOR 009M2 QT	A41914	MANHATTAN
WATTS	1.5" REGULARTOR 009M2 QT	A41912	MANHATTAN
WATTS	1.5" REGULARTOR 009M2 QT	A41905	MANHATTAN
WATTS	1.5" REGULARTOR 009M2 QT	A41919	MANHATTAN
MANUFACTURE MAKE	MODEL SIZE	SERIAL #	BOROUGH
WATTS	1.5" REGULARTOR 009M2 QT	A41916	MANHATTAN

WATTS	1.5" REGULATOR 009M2 QT	A41922	MANHATTAN
WATTS	1.5" REGULATOR 009M2 QT	A41924	MANHATTAN
WATTS	1.5" REGULATOR 009M2 QT	A36015	MANHATTAN
WATTS	1.5" REGULATOR 009M2 QT	A36022	MANHATTAN
WATTS	1.5" REGULATOR 009M2 QT	A41952	MANHATTAN
WATTS	1.5" REGULATOR 009M2 QT	A36021	MANHATTAN
WATTS	1.5" REGULATOR 009M2 QT	025034	MANHATTAN
WATTS	1.5" REGULATOR 009M2 QT	A35991	MANHATTAN
WATTS	1.5" REGULATOR 009M2 QT	A41958	MANHATTAN
WATTS	1.5" REGULATOR 009M2 QT	A41796	MANHATTAN
WATTS	LF009M3QT	61128	ALL
WATTS	LF009M3QT	230222	BRONX
WATTS	LF009M3QT	229830	BRONX
WATTS	009M2	A36007	MANHATTAN
WATTS	009M3	A41962	MANHATTAN
WATTS	009M2	A36002	MANHATTAN
WATTS	009M2	A41977	MANHATTAN
WATTS	009M2	A41241	MANHATTAN
WATTS	009M2	A41212	MANHATTAN
WATTS	LF909	047692	MANHATTAN
WATTS	LF910	047690	MANHATTAN
WATTS	LF009M3QT	80113	ALL
WATTS	1-1/2" 009M2-QT 0062921	62921	QUEENS
WATTS	009M2QT	418601	MANHATTAN
WATTS	LF009M3QT	I74825	MANHATTAN
WATTS	3/4 INCH 009M3	B27974	BROOKLYN

WATTS	3/4 INCH 009M3	B27967	BROOKLYN
WATTS	3/4 INCH 009M3	B27924	BROOKLYN
WATTS	3/4 INCH 009M3	B27977	BROOKLYN
WATTS	3/4 INCH 009M3	B27970	BROOKLYN
WATTS	3/4 INCH 009M3	B27919	BROOKLYN
WATTS	1 1/2 INCH 009M2	A41945	BROOKLYN
WATTS	1 1/2 INCH 009M2	A41963	BROOKLYN
WATTS	1 1/2 INCH 009M2	A41968	BROOKLYN
WATTS	1 1/2 INCH 009M2	A41956	BROOKLYN
WATTS	1 1/2 INCH 009M2	A36019	BROOKLYN
WATTS	1 1/2 INCH 009M2	A36014	BROOKLYN
WATTS	1 1/2 INCH 009M2	A36013	BROOKLYN
WATTS	1 1/2 INCH 009M2	A36020	BROOKLYN
WATTS	1 1/2 INCH 009M2	A33329	BROOKLYN
WATTS	1 1/2 INCH 009M2	A35990	BROOKLYN
WATTS	1 1/2 INCH 009M2	A36003	BROOKLYN
WATTS	1 1/2 INCH 009M2	A42043	BROOKLYN
WATTS	1 1/2 INCH 009M2	A36018	BROOKLYN
WATTS	1 1/2 INCH 009M2	A41213	BROOKLYN
WATTS	1 1/2 INCH 009M2	A41933	BROOKLYN
WATTS	1 1/2 INCH 009M2	A41292	BROOKLYN
WATTS	LF009M2-QT	A41906	
WATTS	LF009M2-QT	A33321	
WATTS	LF009M2-QT	A35982	
WATTS	LF009M2-QT	A41927	
WATTS	LF009M2-QT	A41785	
WATTS	LF009M2-QT	A41801	
WATTS	LF009M2-QT	A35986	

WATTS	LF009M2-QT	A36026	
WATTS	LF009M2-QT	A35984	
WATTS	LF009M2-QT	166952	
WATTS	LF009M2-QT	166948	
WATTS	LF009M2-QT	A35989	
WATTS	LF009M2-QT	A35977	
WATTS	LF009M3-QT	280107	
WATTS	LF009M2-QT	166486	
WATTS	LF009M2-QT	A41964	
WATTS	LF009M2-QT	A41978	
WATTS	LF009M2-QT	166529	
WATTS	LF009M2-QT	025037	
WATTS	LF009M2-QT	025087	
WATTS	LF009M2-QT	025508	
WATTS	LF009M2-QT	A35980	
WATTS	LF009M2-QT	A35998	
WATTS	LF009M2-QT	A41186	
WATTS	LF009M2-QT	A41946	
WATTS	LF009M2-QT	A41969	
WATTS	LF009M2-QT	A41203	
WATTS	LF009M2-QT	166487	
WATTS	LF009M2-QT	A41974	
WATTS	LF009M2-QT	166474	
WATTS	LF009M2-QT	A41910	
WATTS	LF009M2-QT	A35987	
WATTS	LF009M2-QT	A33335	
WATTS	LF009M2-QT	A41894	
WATTS	LF009M2-QT	A35974	

WATTS	LF009M2-QT	A35973	
WATTS	LF009M2-QT	A35976	
WATTS	LF009M2-QT	A35992	
WATTS	LF009M2-QT	166496	
WATTS	LF009M2-QT	A41937	
WATTS	LF009M2-QT	025086	
WATTS	LF009M2-QT	025242	
WATTS	LF009M2-QT	025252	
WATTS	LF009M2-QT	025241	
WATTS	LF009M2-QT	025030	
WATTS	LF009M2-QT	166485	
WATTS	LF009M2-QT	166735	
WATTS	LF009M2-QT	166500	
WATTS	LF009M2-QT	166478	
WATTS	LF009M2-QT	166539	
WATTS	LF009M2-QT	166944	
WATTS	LF009M2-QT	166297	
WATTS	LF009M2-QT	166326	
WATTS	LF009M2-QT	159385	
WATTS	LF009M2-QT	166333	
WATTS	LF009M2-QT	166947	
WATTS	LF009M2-QT	164493	
WATTS	LF009M2-QT	166941	
WATTS	LF009M2-QT	166953	
WATTS	LF009M2-QT	164873	
WATTS	LF009M2-QT	166334	
WATTS	LF009M3-QT	163317	
WATTS	LF009M3-QT	160519	

MANUFACTURE MAKE	MODEL SIZE	SERIAL #	BOROUGH
WATTS	LF009M3-QT	161906	
WATTS	LF009M3-QT	164875	
WATTS	LF009M3-QT	163287	
WATTS	009M2QT - 3/4 INCH	B27911	QUEENS
WATTS	009M2QT - 3/4 INCH	B27960	QUEENS
WATTS	009M2QT - 3/4 INCH	B27986	QUEENS
WATTS	009M2QT - 3/4 INCH	B27990	QUEENS
WATTS	009M2QT - 3/4 INCH	B27992	QUEENS
WATTS	009M2QT - 3/4 INCH	B27998	QUEENS
WATTS	009M2QT - 3/4 INCH	B28010	QUEENS
WATTS	009M2QT - 1 1/2 INCH	A33187	QUEENS
WATTS	009M2QT - 1 1/2 INCH	A33333	QUEENS
WATTS	009M2QT - 1 1/2 INCH	A35978	QUEENS
WATTS	009M2QT - 1 1/2 INCH	A36009	QUEENS
WATTS	009M2QT - 1 1/2 INCH	A38911	QUEENS
WATTS	009M2QT -1 1/2 INCH	A38928	QUEENS
WATTS	009M2QT -1 1/2 INCH	A41802	QUEENS
WATTS	009M2QT -1 1/2 INCH	A41948	QUEENS
WATTS	009M2QT -1 1/2 INCH	A42041	QUEENS
WATTS	009M2QT -1 1/2 INCH	A42046	QUEENS
WATTS	009M2QT -1 1/2 INCH	A42047	QUEENS
WATTS	009M2QT -1 1/2 INCH	A42048	QUEENS
WATTS	009M2QT -1 1/2 INCH	A42049	QUEENS
WATTS	009M2QT -1 1/2 INCH	A42050	QUEENS
WATTS	009M2QT -1 1/2 INCH	A42053	QUEENS
WATTS	009M2QT -1 1/2 INCH	A42055	QUEENS
WATTS	009M2QT -1 1/2 INCH	A42061	QUEENS

WATTS	009M2QT -1 1/2 INCH	A42063	QUEENS
WATTS	009M2QT -1 1/2 INCH	A41957	QUEENS
WATTS	009M2QT -1 1/2 INCH	A41950	QUEENS
WATTS	3/4" LF009M3QT	454362	MANHATTAN