



## UTILITY NOISE MITIGATION PLAN

**MUST PRINT AND POST ON WORKSITE**

### PROJECT LOCATION

|                                                     |     |                  |       |     |
|-----------------------------------------------------|-----|------------------|-------|-----|
| WORK SITE LOCATION ADDRESS, STRETCH OR INTERSECTION | ZIP | BOROUGH<br>BRONX | BLOCK | LOT |
| VARIOUS LOCATIONS                                   |     |                  |       |     |

### CONTACT INFORMATION

|                                                                         |                                              |                                   |                                 |                                 |              |
|-------------------------------------------------------------------------|----------------------------------------------|-----------------------------------|---------------------------------|---------------------------------|--------------|
| GENERAL CONTRACTOR COMPANY NAME<br>TRI-MESSINE CONSTRUCTION COMPANY INC |                                              | PROJECT MANAGER                   |                                 | EMAIL<br>TMSTAFF@TRIMESSINE.COM |              |
| BUSINESS ADDRESS<br>1127 N. BROADWAY                                    |                                              | CITY<br>N. MASSAPEQUA             |                                 | STATE<br>NY                     | ZIP<br>11758 |
| PHONE NUMBER<br>516-679-9797                                            |                                              |                                   |                                 |                                 |              |
| APPROVED SCHEDULE:                                                      | <input checked="" type="checkbox"/> WEEKDAYS | <input type="checkbox"/> SATURDAY | <input type="checkbox"/> SUNDAY | PROJECT EXPECTED DURATION DATES |              |
| DAYTIME:                                                                | FROM 7:00 AM TO 6:00 PM                      | FROM TO                           | FROM TO                         | FROM TO                         | FROM TO      |
| NIGHTTIME:                                                              | FROM 10:00 PM TO 5:00 AM                     | FROM TO                           | FROM TO                         | FROM TO                         | FROM TO      |
| DOT PERMIT # (IF NEEDED):                                               |                                              |                                   |                                 |                                 |              |

### SITE-SPECIFIC INFORMATION

- Residents within 200 feet of a construction site shall be given notice when work is scheduled for longer than 3 days during regular construction hours and afterhours. Conspicuous posting of such information, or where necessary notification of building managers/owners, shall satisfy this requirement.
- The owner/operator of sensitive receptors, within 50 feet of this site, shall be contacted when practicable to coordinate work to minimize impact on the property.
- Vehicle engine idling at site shall be prevented in accordance with NYC Ad. Code §24-163.
- All street plates at this site, shall be installed and properly secured in accordance with 34RCNY §2-11(10) (e)
- All rules of 28RCNY §106 apply.

### CONSTRUCTION DEVICES CHECK APPLICABLE BOXES LISTED BELOW

This Plan certifies that all equipment indicated in this Mitigation Plan is maintained to operate in accordance with the manufacturer's operating specifications and has been equipped with appropriate manufacturer's noise reducing devices.

When the specific devices listed below are utilized, the use of barriers is not required unless DEP receives complaints.

**NOTE:** All devices must have manufacturer's noise reduction device installed and properly functioning.

☒ JACKHAMMERS (including chisel hammer attached to a vehicle like a backhoe)

Select one or enter text

☒ BACKHOES engine muffler/low idling \_\_\_\_\_ method of mitigating device.

☐ GENERATORS (Noise mitigation required – noise insulating fabric or other such techniques)

☒ COMPRESSORS (Noise mitigation required – noise insulating fabric or other such techniques)

☐ PUMPS (Noise mitigation required – noise insulating fabric or other such techniques)

☒ OTHER SKIDSTEER W/ MILLING ATTACHMENT

### SPECIALIZED EQUIPMENT

The vehicles listed in the dropdown menu below and other vehicles with internal combustion motors shall require noise mitigation measures as specified by the DEP, such as the use of noise-insulating material or other such techniques that do not interfere with engine operation. The location of receptors should be considered in the placement and use to minimize noise impact.

☒ BACKUP ALARMS (Required January 2008) Select one item Ecco Model SA907

☐ Rodding Truck ☐ Flusher Vac Truck ☐ Pavement Core Drilling Truck ☐ Vacuum Excavator Truck

Method of mitigating any of the above devices:

☒ By checking this box, I hereby certify that the information contained in this form is true and accurate.

|          |                                                 |                |
|----------|-------------------------------------------------|----------------|
| NAME<br> | COMPANY<br>TRI-MESSINE CONSTRUCTION COMPANY INC | DATE<br>8/5/26 |
|----------|-------------------------------------------------|----------------|



## UTILITY NOISE MITIGATION PLAN

**MUST PRINT AND POST ON WORKSITE**

### PROJECT LOCATION

|                                                     |     |                     |       |     |
|-----------------------------------------------------|-----|---------------------|-------|-----|
| WORK SITE LOCATION ADDRESS, STRETCH OR INTERSECTION | ZIP | BOROUGH<br>BROOKLYN | BLOCK | LOT |
| VARIOUS LOCATIONS                                   |     |                     |       |     |

### CONTACT INFORMATION

|                                                                         |                                              |                                   |                                 |                                 |              |
|-------------------------------------------------------------------------|----------------------------------------------|-----------------------------------|---------------------------------|---------------------------------|--------------|
| GENERAL CONTRACTOR COMPANY NAME<br>TRI-MESSINE CONSTRUCTION COMPANY INC |                                              | PROJECT MANAGER                   |                                 | EMAIL<br>TMSTAFF@TRIMESSINE.COM |              |
| BUSINESS ADDRESS<br>1127 N. BROADWAY                                    |                                              | CITY<br>N. MASSAPEQUA             |                                 | STATE<br>NY                     | ZIP<br>11758 |
| PHONE NUMBER<br>516-679-9797                                            |                                              |                                   |                                 |                                 |              |
| APPROVED SCHEDULE:                                                      | <input checked="" type="checkbox"/> WEEKDAYS | <input type="checkbox"/> SATURDAY | <input type="checkbox"/> SUNDAY | PROJECT EXPECTED DURATION DATES |              |
| DAYTIME:                                                                | FROM 7:00 AM TO 6:00 PM                      | FROM TO                           | FROM TO                         | FROM TO                         | FROM TO      |
| NIGHTTIME:                                                              | FROM 10:00 PM TO 5:00 AM                     | FROM TO                           | FROM TO                         | FROM TO                         | FROM TO      |
| DOT PERMIT # (IF NEEDED):                                               |                                              |                                   |                                 |                                 |              |

### SITE-SPECIFIC INFORMATION

- Residents within 200 feet of a construction site shall be given notice when work is scheduled for longer than 3 days during regular construction hours and afterhours. Conspicuous posting of such information, or where necessary notification of building managers/owners, shall satisfy this requirement.
- The owner/operator of sensitive receptors, within 50 feet of this site, shall be contacted when practicable to coordinate work to minimize impact on the property.
- Vehicle engine idling at site shall be prevented in accordance with NYC Ad. Code §24-163.
- All street plates at this site, shall be installed and properly secured in accordance with 34RCNY §2-11(10) (e)
- All rules of 28RCNY §106 apply.

### CONSTRUCTION DEVICES CHECK APPLICABLE BOXES LISTED BELOW

This Plan certifies that all equipment indicated in this Mitigation Plan is maintained to operate in accordance with the manufacturer's operating specifications and has been equipped with appropriate manufacturer's noise reducing devices.

When the specific devices listed below are utilized, the use of barriers is not required unless DEP receives complaints.

**NOTE:** All devices must have manufacturer's noise reduction device installed and properly functioning.

☒ JACKHAMMERS (including chisel hammer attached to a vehicle like a backhoe)

Select one or enter text

☒ BACKHOES engine muffler/low idling \_\_\_\_\_ method of mitigating device.

☐ GENERATORS (Noise mitigation required – noise insulating fabric or other such techniques)

☒ COMPRESSORS (Noise mitigation required – noise insulating fabric or other such techniques)

☐ PUMPS (Noise mitigation required – noise insulating fabric or other such techniques)

☒ OTHER SKIDSTEER W/ MILLING ATTACHMENT

### SPECIALIZED EQUIPMENT

The vehicles listed in the dropdown menu below and other vehicles with internal combustion motors shall require noise mitigation measures as specified by the DEP, such as the use of noise-insulating material or other such techniques that do not interfere with engine operation. The location of receptors should be considered in the placement and use to minimize noise impact.

☒ BACKUP ALARMS (Required January 2008) Select one item Ecco Model SA907

|                                                |                                            |                                                       |                                                 |
|------------------------------------------------|--------------------------------------------|-------------------------------------------------------|-------------------------------------------------|
| <input type="checkbox"/> Rodding Truck         | <input type="checkbox"/> Flusher Vac Truck | <input type="checkbox"/> Pavement Core Drilling Truck | <input type="checkbox"/> Vacuum Excavator Truck |
| Method of mitigating any of the above devices: |                                            |                                                       |                                                 |

☒ By checking this box, I hereby certify that the information contained in this form is true and accurate.

|          |                                                 |                |
|----------|-------------------------------------------------|----------------|
| NAME<br> | COMPANY<br>TRI-MESSINE CONSTRUCTION COMPANY INC | DATE<br>8/5/26 |
|----------|-------------------------------------------------|----------------|



## UTILITY NOISE MITIGATION PLAN

**MUST PRINT AND POST ON WORKSITE**

### PROJECT LOCATION

|                                                                                 |     |                   |       |     |
|---------------------------------------------------------------------------------|-----|-------------------|-------|-----|
| WORK SITE LOCATION ADDRESS, STRETCH OR INTERSECTION<br><b>VARIOUS LOCATIONS</b> | ZIP | BOROUGH<br>QUEENS | BLOCK | LOT |
|---------------------------------------------------------------------------------|-----|-------------------|-------|-----|

### CONTACT INFORMATION

|                                                                         |                                              |               |                                   |                 |                                 |                                 |                                 |
|-------------------------------------------------------------------------|----------------------------------------------|---------------|-----------------------------------|-----------------|---------------------------------|---------------------------------|---------------------------------|
| GENERAL CONTRACTOR COMPANY NAME<br>TRI-MESSINE CONSTRUCTION COMPANY INC |                                              |               |                                   | PROJECT MANAGER |                                 | EMAIL<br>TMSTAFF@TRIMESSINE.COM |                                 |
| BUSINESS ADDRESS<br>1127 N. BROADWAY                                    |                                              |               | CITY<br>N. MASSAPEQUA             |                 | STATE<br>NY                     | ZIP<br>11758                    | PHONE NUMBER<br>516-679-9797    |
| APPROVED SCHEDULE:                                                      | <input checked="" type="checkbox"/> WEEKDAYS |               | <input type="checkbox"/> SATURDAY |                 | <input type="checkbox"/> SUNDAY |                                 | PROJECT EXPECTED DURATION DATES |
| DAYTIME:                                                                | FROM<br>7:00 AM                              | TO<br>6:00 PM | FROM                              | TO              | FROM                            | TO                              | FROM TO                         |
| NIGHTTIME:                                                              | FROM<br>10:00 PM                             | TO<br>5:00 AM | FROM                              | TO              | FROM                            | TO                              | DOT PERMIT # (IF NEEDED):       |

### SITE-SPECIFIC INFORMATION

- Residents within 200 feet of a construction site shall be given notice when work is scheduled for longer than 3 days during regular construction hours and afterhours. Conspicuous posting of such information, or where necessary notification of building managers/owners, shall satisfy this requirement.
- The owner/operator of sensitive receptors, within 50 feet of this site, shall be contacted when practicable to coordinate work to minimize impact on the property.
- Vehicle engine idling at site shall be prevented in accordance with NYC Ad. Code §24-163.
- All street plates at this site, shall be installed and properly secured in accordance with 34RCNY §2-11(10) (e)
- All rules of 28RCNY §106 apply.

### CONSTRUCTION DEVICES CHECK APPLICABLE BOXES LISTED BELOW

This Plan certifies that all equipment indicated in this Mitigation Plan is maintained to operate in accordance with the manufacturer's operating specifications and has been equipped with appropriate manufacturer's noise reducing devices.

When the specific devices listed below are utilized, the use of barriers is not required unless DEP receives complaints.

**NOTE:** All devices must have manufacturer's noise reduction device installed and properly functioning.

☒ JACKHAMMERS (including chisel hammer attached to a vehicle like a backhoe)

Select one or enter text

☒ BACKHOES engine muffler/low idling method of mitigating device.

☐ GENERATORS (Noise mitigation required – noise insulating fabric or other such techniques)

☒ COMPRESSORS (Noise mitigation required – noise insulating fabric or other such techniques)

☐ PUMPS (Noise mitigation required – noise insulating fabric or other such techniques)

☒ OTHER SKIDSTEER W/ MILLING ATTACHMENT

### SPECIALIZED EQUIPMENT

The vehicles listed in the dropdown menu below and other vehicles with internal combustion motors shall require noise mitigation measures as specified by the DEP, such as the use of noise-insulating material or other such techniques that do not interfere with engine operation. The location of receptors should be considered in the placement and use to minimize noise impact.

☒ BACKUP ALARMS (Required January 2008) Select one item Ecco Model SA907

|                                                |                                            |                                                       |                                                 |
|------------------------------------------------|--------------------------------------------|-------------------------------------------------------|-------------------------------------------------|
| <input type="checkbox"/> Rodding Truck         | <input type="checkbox"/> Flusher Vac Truck | <input type="checkbox"/> Pavement Core Drilling Truck | <input type="checkbox"/> Vacuum Excavator Truck |
| Method of mitigating any of the above devices: |                                            |                                                       |                                                 |

☒ By checking this box, I hereby certify that the information contained in this form is true and accurate.

|          |                                                 |                |
|----------|-------------------------------------------------|----------------|
| NAME<br> | COMPANY<br>TRI-MESSINE CONSTRUCTION COMPANY INC | DATE<br>8/5/26 |
|----------|-------------------------------------------------|----------------|